

CHAPTER XVI

May 2002

Certain conditions originating in the perinatal period (P00-P96)

NOTE: CODES FROM THIS CHAPTER ARE FOR USE ON NEWBORN RECORDS ONLY,
NEVER ON MATERNAL RECORDS

Includes: conditions that have their origin in the perinatal period (the first 28 days of life)
even though morbidity occurs later

Excludes2: congenital malformations, deformations and chromosomal abnormalities
(Q00-Q99)
endocrine, nutritional and metabolic diseases (E00-E90)
injury, poisoning and certain other consequences of external causes (S00-T98)
neoplasms (C00-D48)
tetanus neonatorum (A33)

This chapter contains the following blocks:

P00-P04	Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery
P05-P08	Disorders related to length of gestation and fetal growth
P10-P15	Birth trauma
P19-P29	Respiratory and cardiovascular disorders specific to the perinatal period
P35-P39	Infections specific to the perinatal period
P50-P61	Hemorrhagic and hematological disorders of newborn
P70-P74	Transitory endocrine and metabolic disorders specific to newborn
P75-P78	Digestive system disorders of newborn
P80-P83	Conditions involving the integument and temperature regulation of newborn
P84	Other problems with newborn
P90-P96	Other disorders originating in the perinatal period

Newborn affected by maternal factors and by complications of pregnancy, labor, and delivery (P00-P04)

Note: These codes are for use when the listed maternal conditions are specified as the cause of
confirmed or suspected newborn morbidity or potential morbidity

P00 Newborn (suspected) affected by maternal conditions that may be unrelated to present pregnancy

Code first any current condition in newborn

Excludes1: newborn (suspected) affected by maternal complications of pregnancy (P01.-)

newborn affected by maternal endocrine and metabolic disorders (P70-P74)

Excludes2: newborn affected by noxious influences transmitted via placenta or breast milk (P04.-)

P00.0 Newborn (suspected) affected by maternal hypertensive disorders

Newborn (suspected) affected by maternal conditions classifiable to O10-O11, O13-O16

P00.1 Newborn (suspected) affected by maternal renal and urinary tract diseases

Newborn (suspected) affected by maternal conditions classifiable to N00-N39

P00.2 Newborn (suspected) affected by maternal infectious and parasitic diseases

Newborn (suspected) affected by maternal infectious disease classifiable to A00-B99 and J10, but not necessarily itself manifesting that disease

Excludes1: infections specific to the perinatal period (P35-P39)
maternal genital tract or other localized infections (P00.8)

P00.3 Newborn (suspected) affected by other maternal circulatory and respiratory diseases

Newborn (suspected) affected by maternal conditions classifiable to I00-I99, J00-J99, Q20-Q34 and not included in P00.0, P00.2

P00.4 Newborn (suspected) affected by maternal nutritional disorders

Newborn (suspected) affected by maternal disorders classifiable to E40-E64
Maternal malnutrition NOS

P00.5 Newborn (suspected) affected by maternal injury

Newborn (suspected) affected by maternal conditions classifiable to O97.2

P00.6 Newborn (suspected) affected by surgical procedure on mother

Excludes1: Cesarean section for present delivery (P03.4)
damage to placenta from amniocentesis, Cesarean section or surgical induction (P02.1)
previous surgery to uterus or pelvic organs (P03.89)

P00.7 Newborn (suspected) affected by other medical procedures on mother, not elsewhere classified

Newborn (suspected) affected by radiation to mother

Excludes1: damage to placenta from amniocentesis, cesarean section or surgical induction (P02.1)
newborn affected by other complications of labor and delivery (P03.-)

P00.8 Newborn (suspected) affected by other maternal conditions

Newborn (suspected) affected by conditions classifiable to T80-T88

Newborn (suspected) affected by maternal genital tract or other localized infections

Newborn (suspected) affected by maternal systemic lupus erythematosus

Excludes1: transitory neonatal endocrine and metabolic disorders (P70-P74)

P00.9 Newborn (suspected) affected by unspecified maternal condition

P01 Newborn (suspected) affected by maternal complications of pregnancy

Code first any current condition in newborn

- P01.0 Newborn (suspected) affected by incompetent cervix**
- P01.1 Newborn (suspected) affected by premature rupture of membranes**
- P01.2 Newborn (suspected) affected by oligohydramnios**
Excludes1: oligohydramnios due to premature rupture of membranes (P01.1)
- P01.3 Newborn (suspected) affected by polyhydramnios**
Newborn (suspected) affected by hydramnios
- P01.4 Newborn (suspected) affected by ectopic pregnancy**
Newborn (suspected) affected by abdominal pregnancy
- P01.5 Newborn (suspected) affected by multiple pregnancy**
Newborn (suspected) affected by triplet (pregnancy)
Newborn (suspected) affected by twin (pregnancy)
- P01.6 Newborn (suspected) affected by maternal death**
- P01.7 Newborn (suspected) affected by malpresentation before labor**
Newborn (suspected) affected by breech presentation before labor
Newborn (suspected) affected by external version before labor
Newborn (suspected) affected by face presentation before labor
Newborn (suspected) affected by transverse lie before labor
Newborn (suspected) affected by unstable lie before labor
- P01.8 Newborn (suspected) affected by other maternal complications of pregnancy**
- P01.9 Newborn (suspected) affected by maternal complication of pregnancy, unspecified**

P02 Newborn (suspected) affected by complications of placenta, cord and membranes

Code first any current condition in newborn

- P02.0 Newborn (suspected) affected by placenta previa**
- P02.1 Newborn (suspected) affected by other forms of placental separation and hemorrhage**
Newborn (suspected) affected by abruptio placenta
Newborn (suspected) affected by accidental hemorrhage
Newborn (suspected) affected by antepartum hemorrhage
Newborn (suspected) affected by damage to placenta from amniocentesis, cesarean section or surgical induction
Newborn (suspected) affected by maternal blood loss
Newborn (suspected) affected by premature separation of placenta
- P02.2 Newborn (suspected) affected by other and unspecified morphological and functional abnormalities of placenta**
 - P02.20 Newborn (suspected) affected by unspecified morphological and functional abnormalities of placenta**

- P02.29 Newborn (suspected) affected by other morphological and functional abnormalities of placenta**
 - Newborn (suspected) affected by placental dysfunction
 - Newborn (suspected) affected by placental infarction
 - Newborn (suspected) affected by placental insufficiency
- P02.3 Newborn (suspected) affected by placental transfusion syndromes**
 - Newborn (suspected) affected by placental and cord abnormalities resulting in twin-to-twin or other transplacental transfusion
- P02.4 Newborn (suspected) affected by prolapsed cord**
- P02.5 Newborn (suspected) affected by other compression of umbilical cord**
 - Newborn (suspected) affected by umbilical cord (tightly) around neck
 - Newborn (suspected) affected by entanglement of umbilical cord
 - Newborn (suspected) affected by knot in umbilical cord
- P02.6 Newborn (suspected) affected by other and unspecified conditions of umbilical cord**
 - P02.60 Newborn (suspected) affected by unspecified conditions of umbilical cord**
 - P02.69 Newborn (suspected) affected by other conditions of umbilical cord**
 - Newborn (suspected) affected by short umbilical cord
 - Newborn (suspected) affected by vasa previa
 - Excludes1: newborn affected by single umbilical artery (Q27.0)
- P02.7 Newborn (suspected) affected by chorioamnionitis**
 - Newborn (suspected) affected by amnionitis
 - Newborn (suspected) affected by membranitis
 - Newborn (suspected) affected by placentitis
- P02.8 Newborn (suspected) affected by other abnormalities of membranes**
- P02.9 Newborn (suspected) affected by abnormality of membranes, unspecified**

P03 Newborn (suspected) affected by other complications of labor and delivery

Code first any current condition in newborn

- P03.0 Newborn (suspected) affected by breech delivery and extraction**
- P03.1 Newborn (suspected) affected by other malpresentation, malposition and disproportion during labor and delivery**
 - Newborn (suspected) affected by contracted pelvis
 - Newborn (suspected) affected by conditions classifiable to O64-O66
 - Newborn (suspected) affected by persistent occipitoposterior
 - Newborn (suspected) affected by transverse lie
- P03.2 Newborn (suspected) affected by forceps delivery**
- P03.3 Newborn (suspected) affected by delivery by vacuum extractor [ventouse]**
- P03.4 Newborn (suspected) affected by Cesarean delivery**
- P03.5 Newborn (suspected) affected by precipitate delivery**
 - Newborn (suspected) affected by rapid second stage
- P03.6 Newborn (suspected) affected by abnormal uterine contractions**

- Newborn (suspected) affected by conditions classifiable to O62.-, except O62.3
 Newborn (suspected) affected by hypertonic labor
 Newborn (suspected) affected by uterine inertia
P03.8 Newborn (suspected) affected by other specified complications of labor and delivery
P03.81 Newborn (suspected) affected by abnormality in fetal (intrauterine) heart rate or rhythm
 Excludes1: neonatal cardiac dysrhythmia (P29.1)
P03.810 Newborn (suspected) affected by abnormality in fetal (intrauterine) heart rate or rhythm before the onset of labor
P03.811 Newborn (suspected) affected by abnormality in fetal (intrauterine) heart rate or rhythm during labor
P03.819 Newborn (suspected) affected by abnormality in fetal (intrauterine) heart rate or rhythm, unspecified as to time of onset
P03.89 Newborn (suspected) affected by other specified complications of labor and delivery
 Newborn (suspected) affected by abnormality of maternal soft tissues
 Newborn (suspected) affected by conditions classifiable to O60-O75 and by procedures used in labor and delivery not included in P02.- and P03.0-P03.6
 Newborn (suspected) affected by induction of labor
P03.9 Newborn (suspected) affected by complication of labor and delivery, unspecified

P04 Newborn (suspected) affected by noxious influences transmitted via placenta or breast milk

- Includes: nonteratogenic effects of substances transmitted via placenta
 Excludes1: neonatal jaundice from excessive hemolysis due to drugs or toxins transmitted from mother (P58.4)
 Excludes2: congenital malformations (Q00-Q99)

- P04.0 Newborn (suspected) affected by maternal anesthesia and analgesia in pregnancy, labor and delivery**
 Newborn (suspected) affected by reactions and intoxications from maternal opiates and tranquilizers administered during labor and delivery
P04.1 Newborn (suspected) affected by other maternal medication
 Newborn (suspected) affected by cancer chemotherapy
 Newborn (suspected) affected by cytotoxic drugs
 Excludes1: dysmorphism due to warfarin (Q86.2)
 fetal hydantoin syndrome (Q86.1)
 maternal use of drugs of addiction (P04.4-)
P04.2 Newborn (suspected) affected by maternal use of tobacco
 Newborn (suspected) affected by exposure in utero to tobacco smoke
 Excludes2: newborn exposure to environmental tobacco smoke (P96.6)

- P04.3 Newborn (suspected) affected by maternal use of alcohol**
Excludes1: fetal alcohol syndrome (Q86.0)
- P04.4 Newborn (suspected) affected by maternal use of drugs of addiction**
 - P04.41 Newborn (suspected) affected by maternal use of cocaine**
“Crack baby”
 - P04.49 Newborn (suspected) affected by maternal use of other drugs of addiction**
Excludes1: newborn (suspected) affected by maternal anesthesia and analgesia (P04.0)
withdrawal symptoms from maternal use of drugs of addiction (P96.1)
- P04.5 Newborn (suspected) affected by maternal use of nutritional chemical substances**
- P04.6 Newborn (suspected) affected by maternal exposure to environmental chemical substances**
- P04.8 Newborn (suspected) affected by other maternal noxious influences**
- P04.9 Newborn (suspected) affected by maternal noxious influence, unspecified**

Disorders of newborn related to length of gestation and fetal growth (P05-P08)

P05 Disorders of newborn related to slow fetal growth and fetal malnutrition

- P05.0 Newborn light for gestational age**
Newborn light-for-dates
 - P05.00 Newborn light for gestational age, unspecified weight**
 - P05.01 Newborn light for gestational age, less than 500 grams**
 - P05.02 Newborn light for gestational age, 500-749 grams**
 - P05.03 Newborn light for gestational age, 750-999 grams**
 - P05.04 Newborn light for gestational age, 1000-1249 grams**
 - P05.05 Newborn light for gestational age, 1250-1499 grams**
 - P05.06 Newborn light for gestational age, 1500-1749 grams**
 - P05.07 Newborn light for gestational age, 1750-1999 grams**
 - P05.08 Newborn light for gestational age, 2000-2499 grams**
- P05.1 Newborn small for gestational age**
Newborn small-and-light-for-dates
Newborn small-for-dates
 - P05.10 Newborn small for gestational age, unspecified weight**
 - P05.11 Newborn small for gestational age, less than 500 grams**
 - P05.12 Newborn small for gestational age, 500-749 grams**
 - P05.13 Newborn small for gestational age, 750-999 grams**
 - P05.14 Newborn small for gestational age, 1000-1249 grams**
 - P05.15 Newborn small for gestational age, 1250-1499 grams**
 - P05.16 Newborn small for gestational age, 1500-1749 grams**

- P05.17 Newborn small for gestational age, 1750-1999 grams**
- P05.18 Newborn small for gestational age, 2000-2499 grams**
- P05.2 Newborn affected by fetal (intrauterine) malnutrition not light or small for gestational age**
 Infant, not light or small for gestational age, showing signs of fetal malnutrition, such as dry, peeling skin and loss of subcutaneous tissue
 Excludes1: newborn affected by fetal malnutrition with mention of light for gestational age (P05.0-)
 newborn affected by fetal malnutrition with mention of small for gestational age (P05.1-)
- P05.9 Newborn affected by slow intrauterine growth, unspecified**
 Newborn affected by fetal growth retardation NOS

P07 Disorders of newborn related to short gestation and low birth weight, not elsewhere classified

Note: When both birth weight and gestational age of the newborn are available, priority of assignment should be given to birth weight.
 Includes: the listed conditions, without further specification, as the cause of morbidity or additional care, in newborn
 Excludes1: low birth weight due to slow fetal growth and fetal malnutrition (P05.-)

- P07.0 Extremely low birth weight newborn**
 Newborn birth weight 999 g. or less
 - P07.00 Extremely low birth weight newborn, unspecified weight**
 - P07.01 Extremely low birth weight newborn, less than 500 grams**
 - P07.02 Extremely low birth weight newborn, 500-749 grams**
 - P07.03 Extremely low birth weight newborn, 750-999 grams**
- P07.1 Other low birth weight newborn**
 Newborn birth weight 1000-2499 g.
 - P07.10 Other low birth weight newborn, unspecified weight**
 - P07.14 Other low birth weight newborn, 1000-1249 grams**
 - P07.15 Other low birth weight newborn, 1250-1499 grams**
 - P07.16 Other low birth weight newborn, 1500-1749 grams**
 - P07.17 Other low birth weight newborn, 1750-1999 grams**
 - P07.18 Other low birth weight newborn, 2000-2499 grams**
- P07.2 Extreme immaturity of newborn**
 Less than 28 completed weeks (less than 196 completed days) of gestation.
 - P07.20 Extreme immaturity of newborn, unspecified weeks**
 - P07.21 Extreme immaturity of newborn, less than 24 completed weeks**
 - P07.22 Extreme immaturity of newborn, 24-26 completed weeks**
 - P07.23 Extreme immaturity of newborn, 27 completed weeks**
- P07.3 Other preterm newborn**
 28 completed weeks or more but less than 37 completed weeks (196 completed days but less than 259 completed days) of gestation.
 Prematurity NOS
 - P07.30 Other preterm newborn, unspecified weeks**

- P07.31 Other preterm newborn, 28-31 completed weeks
- P07.32 Other preterm newborn, 32-36 completed weeks

P08 Disorders of newborn related to long gestation and high birth weight

Note: When both birth weight and gestational age of the newborn are available, priority of assignment should be given to birth weight

Includes: the listed conditions, without further specification, as causes of morbidity or additional care, in newborn

P08.0 Exceptionally large newborn baby

Usually implies a birth weight of 4500 g. or more

Excludes1: syndrome of infant of diabetic mother (P70.1)
syndrome of infant of mother with gestational diabetes (P70.0)

P08.1 Other heavy for gestational age newborn

Other newborn heavy- or large-for-dates regardless of period of gestation.

P08.2 Post-term newborn, not heavy for gestational age

Newborn with gestation period of 42 completed weeks or more (294 days or more), not heavy- or large-for-dates.

Postmaturity NOS

Birth trauma (P10-P15)

P10 Intracranial laceration and hemorrhage due to birth injury

Excludes1: intracranial hemorrhage of newborn NOS (P52.9)
intracranial hemorrhage of newborn due to anoxia or hypoxia (P52.-)
nontraumatic intracranial hemorrhage of newborn (P52.-)

P10.0 Subdural hemorrhage due to birth injury

Subdural hematoma (localized) due to birth injury

Excludes1: subdural hemorrhage accompanying tentorial tear (P10.4)

P10.1 Cerebral hemorrhage due to birth injury

P10.2 Intraventricular hemorrhage due to birth injury

P10.3 Subarachnoid hemorrhage due to birth injury

P10.4 Tentorial tear due to birth injury

P10.8 Other intracranial lacerations and hemorrhages due to birth injury

P10.9 Unspecified intracranial laceration and hemorrhage due to birth injury

P11 Other birth injuries to central nervous system

P11.0 Cerebral edema due to birth injury

P11.1 Other specified brain damage due to birth injury

P11.2 Unspecified brain damage due to birth injury

P11.3 Birth injury to facial nerve

- Facial palsy due to birth injury
- P11.4 Birth injury to other cranial nerves**
- P11.5 Birth injury to spine and spinal cord**
 - Fracture of spine due to birth injury
- P11.9 Birth injury to central nervous system, unspecified**

P12 Birth injury to scalp

- P12.0 Cephalhematoma due to birth injury**
- P12.1 Chignon (from vacuum extraction) due to birth injury**
- P12.2 Epicranial subaponeurotic hemorrhage due to birth injury**
- P12.3 Bruising of scalp due to birth injury**
- P12.4 Injury of scalp of newborn due to monitoring equipment**
 - Sampling incision of scalp of newborn
 - Scalp clip (electrode) injury of newborn
- P12.8 Other birth injuries to scalp**
 - P12.81 Caput succedaneum**
 - P12.89 Other birth injuries to scalp**
- P12.9 Birth injury to scalp, unspecified**

P13 Birth injury to skeleton

Excludes2: birth injury to spine (P11.5)

- P13.0 Fracture of skull due to birth injury**
- P13.1 Other birth injuries to skull**
 - Excludes1: cephalhematoma (P12.0)
- P13.2 Birth injury to femur**
- P13.3 Birth injury to other long bones**
- P13.4 Fracture of clavicle due to birth injury**
- P13.8 Birth injuries to other parts of skeleton**
- P13.9 Birth injury to skeleton, unspecified**

P14 Birth injury to peripheral nervous system

- P14.0 Erb's paralysis due to birth injury**
- P14.1 Klumpke's paralysis due to birth injury**
- P14.2 Phrenic nerve paralysis due to birth injury**
- P14.3 Other brachial plexus birth injuries**
- P14.8 Birth injuries to other parts of peripheral nervous system**
- P14.9 Birth injury to peripheral nervous system, unspecified**

P15 Other birth injuries

- P15.0 Birth injury to liver**
 - Rupture of liver due to birth injury

- P15.1 Birth injury to spleen**
Rupture of spleen due to birth injury
- P15.2 Sternomastoid injury due to birth injury**
- P15.3 Birth injury to eye**
Subconjunctival hemorrhage due to birth injury
Traumatic glaucoma due to birth injury
- P15.4 Birth injury to face**
Facial congestion due to birth injury
- P15.5 Birth injury to external genitalia**
- P15.6 Subcutaneous fat necrosis due to birth injury**
- P15.8 Other specified birth injuries**
- P15.9 Birth injury, unspecified**

Respiratory and cardiovascular disorders specific to the perinatal period (P19-P29)

P19 Metabolic acidemia in newborn

Includes: fetal metabolic acidemia

- P19.0 Metabolic acidemia in newborn first noted before onset of labor**
- P19.1 Metabolic acidemia in newborn first noted during labor**
- P19.2 Metabolic acidemia noted at birth**
- P19.9 Metabolic acidemia, unspecified**

P22 Respiratory distress of newborn

Excludes1: respiratory failure of newborn NOS (P28.5)

- P22.0 Respiratory distress syndrome of newborn**
Cardiorespiratory distress syndrome of newborn
Hyaline membrane disease
Idiopathic respiratory distress syndrome [IRDS or RDS] of newborn
Pulmonary hypoperfusion syndrome
Respiratory distress syndrome, type I
- P22.1 Transient tachypnea of newborn**
Idiopathic tachypnea of newborn
Respiratory distress syndrome, type II
Wet lung syndrome
- P22.8 Other respiratory distress of newborn**
- P22.9 Respiratory distress of newborn, unspecified**

P23 Congenital pneumonia

Includes: infective pneumonia acquired in utero or during birth

Excludes1: neonatal pneumonia resulting from aspiration (P24.-)

- P23.0 Congenital pneumonia due to viral agent**
Excludes1: congenital rubella pneumonitis (P35.0)
- P23.1 Congenital pneumonia due to Chlamydia**
- P23.2 Congenital pneumonia due to staphylococcus**
- P23.3 Congenital pneumonia due to streptococcus, group B**
- P23.4 Congenital pneumonia due to Escherichia coli**
- P23.5 Congenital pneumonia due to Pseudomonas**
- P23.6 Congenital pneumonia due to other bacterial agents**
Congenital pneumonia due to Hemophilus influenzae
Congenital pneumonia due to Klebsiella pneumoniae
Congenital pneumonia due to Mycoplasma
Congenital pneumonia due to Streptococcus, except group B
Use additional code (B95-B96) to identify organism
- P23.8 Congenital pneumonia due to other organisms**
Use additional code (B97) to identify organism
- P23.9 Congenital pneumonia, unspecified**

P24 Neonatal aspiration syndromes

Includes: neonatal pneumonia resulting from aspiration

- P24.0 Neonatal aspiration of meconium**
- P24.1 Neonatal aspiration of amniotic fluid and mucus**
Neonatal aspiration of liquor (amni)
- P24.2 Neonatal aspiration of blood**
- P24.3 Neonatal aspiration of milk and regurgitated food**
- P24.8 Other neonatal aspiration syndromes**
- P24.9 Neonatal aspiration syndrome, unspecified**
Neonatal aspiration pneumonia NOS

P25 Interstitial emphysema and related conditions originating in the perinatal period

- P25.0 Interstitial emphysema originating in the perinatal period**
- P25.1 Pneumothorax originating in the perinatal period**
- P25.2 Pneumomediastinum originating in the perinatal period**
- P25.3 Pneumopericardium originating in the perinatal period**
- P25.8 Other conditions related to interstitial emphysema originating in the perinatal period**

P26 Pulmonary hemorrhage originating in the perinatal period

- P26.0 Tracheobronchial hemorrhage originating in the perinatal period**
- P26.1 Massive pulmonary hemorrhage originating in the perinatal period**
- P26.8 Other pulmonary hemorrhages originating in the perinatal period**
- P26.9 Unspecified pulmonary hemorrhage originating in the perinatal period**

P27 Chronic respiratory disease originating in the perinatal period

Excludes1: respiratory distress of newborn (P22.0-P22.9)

P27.0 Wilson-Mikity syndrome

Pulmonary dysmaturity

P27.1 Bronchopulmonary dysplasia originating in the perinatal period

P27.8 Other chronic respiratory diseases originating in the perinatal period

Congenital pulmonary fibrosis

Ventilator lung in newborn

P27.9 Unspecified chronic respiratory disease originating in the perinatal period

P28 Other respiratory conditions originating in the perinatal period

Excludes1: congenital malformations of the respiratory system (Q30-Q34)

P28.0 Primary atelectasis of newborn

Primary failure to expand terminal respiratory units

Pulmonary hypoplasia associated with short gestation

Pulmonary immaturity NOS

P28.1 Other and unspecified atelectasis of newborn

P28.10 Unspecified atelectasis of newborn

Atelectasis of newborn NOS

P28.11 Resorption atelectasis without respiratory distress syndrome

Excludes1: resorption atelectasis with respiratory distress syndrome (P22.0)

P28.19 Other atelectasis of newborn

Partial atelectasis of newborn

Secondary atelectasis of newborn

P28.2 Cyanotic attacks of newborn

Excludes1: apnea of newborn (P28.3-P28.4)

P28.3 Primary sleep apnea of newborn

Sleep apnea of newborn NOS

P28.4 Other apnea of newborn

P28.5 Respiratory failure of newborn

P28.8 Other specified respiratory conditions of newborn

Sniffles in newborn

Snuffles in newborn

Excludes1: early congenital syphilitic rhinitis (A50.0)

P28.9 Respiratory condition of newborn, unspecified

Respiratory depression in newborn

P29 Cardiovascular disorders originating in the perinatal period

Excludes1: congenital malformations of the circulatory system (Q20-Q28)

P29.0 Neonatal cardiac failure

- P29.1 Neonatal cardiac dysrhythmia**
- P29.2 Neonatal hypertension**
- P29.3 Persistent fetal circulation**
Delayed closure of ductus arteriosus
- P29.4 Transient myocardial ischemia in newborn**
- P29.8 Other cardiovascular disorders originating in the perinatal period**
- P29.9 Cardiovascular disorder originating in the perinatal period, unspecified**

Infections specific to the perinatal period (P35-P39)

- Includes: infections acquired in utero or during birth
- Excludes2: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)
congenital gonococcal infection (A54.-)
congenital pneumonia (P23.-)
congenital syphilis (A50.-)
human immunodeficiency virus [HIV] disease (B20)
infectious diseases acquired after birth (A00-B99, J10.-)
intestinal infectious disease (A00-A09)
laboratory evidence of human immunodeficiency virus [HIV] (R75)
tetanus neonatorum (A33)

P35 Congenital viral diseases

- Includes: infections acquired in utero or during birth

- P35.0 Congenital rubella syndrome**
Congenital rubella pneumonitis
- P35.1 Congenital cytomegalovirus infection**
- P35.2 Congenital herpesviral [herpes simplex] infection**
- P35.3 Congenital viral hepatitis**
- P35.8 Other congenital viral diseases**
Congenital varicella [chickenpox]
- P35.9 Congenital viral disease, unspecified**

P36 Bacterial sepsis of newborn

- Includes: congenital septicemia

- P36.0 Sepsis of newborn due to streptococcus, group B**
- P36.1 Sepsis of newborn due to other and unspecified streptococci**
- P36.2 Sepsis of newborn due to Staphylococcus aureus**
- P36.3 Sepsis of newborn due to other and unspecified staphylococci**
- P36.4 Sepsis of newborn due to Escherichia coli**
- P36.5 Sepsis of newborn due to anaerobes**
- P36.8 Other bacterial sepsis of newborn**
- P36.9 Bacterial sepsis of newborn, unspecified**

P37 Other congenital infectious and parasitic diseases

Excludes2: congenital syphilis (A50.-)
infectious neonatal diarrhea (A00-A09)
necrotizing enterocolitis in newborn (P77)
noninfectious neonatal diarrhea (P78.3)
ophthalmia neonatorum due to gonococcus (A54.31)
tetanus neonatorum (A33)

P37.0 Congenital tuberculosis

P37.1 Congenital toxoplasmosis

Hydrocephalus due to congenital toxoplasmosis

P37.2 Neonatal (disseminated) listeriosis

P37.3 Congenital falciparum malaria

P37.4 Other congenital malaria

P37.5 Neonatal candidiasis

P37.8 Other specified congenital infectious and parasitic diseases

P37.9 Congenital infectious or parasitic disease, unspecified

P38 Omphalitis of newborn

Excludes1: omphalitis not of newborn (L08.82)
tetanus omphalitis (A33)

P39 Other infections specific to the perinatal period

P39.0 Neonatal infective mastitis

Excludes1: breast engorgement of newborn (P83.4)
noninfective mastitis of newborn (P83.4)

P39.1 Neonatal conjunctivitis and dacryocystitis

Neonatal chlamydial conjunctivitis

Ophthalmia neonatorum NOS

Excludes1: gonococcal conjunctivitis (A54.31)

P39.2 Intra-amniotic infection affecting newborn, not elsewhere classified

P39.3 Neonatal urinary tract infection

P39.4 Neonatal skin infection

Neonatal pyoderma

Excludes1: pemphigus neonatorum (L00)
staphylococcal scalded skin syndrome (L00)

P39.8 Other specified infections specific to the perinatal period

P39.9 Infection specific to the perinatal period, unspecified

Hemorrhagic and hematological disorders of newborn (P50-P61)

Excludes1: congenital stenosis and stricture of bile ducts (Q44.3)
Crigler-Najjar syndrome (E80.5)

Dubin-Johnson syndrome (E80.6)
Gilbert's syndrome (E80.4)
hereditary hemolytic anemias (D55-D58)

P50 Newborn affected by (intrauterine) blood loss

Excludes1: congenital anemia from fetal blood loss (P61.3)

- P50.0 Newborn affected by fetal (intrauterine) blood loss from vasa previa**
- P50.1 Newborn affected by fetal blood loss from ruptured cord**
- P50.2 Newborn affected by fetal blood loss from placenta**
- P50.3 Newborn affected by hemorrhage into co-twin**
- P50.4 Newborn affected by hemorrhage into maternal circulation**
- P50.5 Newborn affected by fetal blood loss from cut end of co-twin's cord**
- P50.8 Newborn affected by other fetal blood loss**
- P50.9 Newborn affected by fetal blood loss, unspecified**
Newborn affected by fetal hemorrhage NOS

P51 Umbilical hemorrhage of newborn

Excludes1: omphalitis with mild hemorrhage (P38)
umbilical hemorrhage from cut end of co-twins cord (P50.5)

- P51.0 Massive umbilical hemorrhage of newborn**
- P51.8 Other umbilical hemorrhages of newborn**
Slipped umbilical ligature NOS
- P51.9 Umbilical hemorrhage of newborn, unspecified**

P52 Intracranial nontraumatic hemorrhage of newborn

Includes: intracranial hemorrhage due to anoxia or hypoxia
Excludes1: intracranial hemorrhage due to birth injury (P10.-)
intracranial hemorrhage due to other injury (S06.-)

- P52.0 Intraventricular (nontraumatic) hemorrhage, grade 1, of newborn**
Subependymal hemorrhage (without intraventricular extension)
- P52.1 Intraventricular (nontraumatic) hemorrhage, grade 2, of newborn**
Subependymal hemorrhage with intraventricular extension
- P52.2 Intraventricular (nontraumatic) hemorrhage, grade 3, of newborn**
Subependymal hemorrhage with both intraventricular and intra- cerebral extension
- P52.3 Unspecified intraventricular (nontraumatic) hemorrhage of newborn**
- P52.4 Intracerebral (nontraumatic) hemorrhage of newborn**
- P52.5 Subarachnoid (nontraumatic) hemorrhage of newborn**
- P52.6 Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn**
- P52.8 Other intracranial (nontraumatic) hemorrhages and newborn**
- P52.9 Intracranial (nontraumatic) hemorrhage of newborn, unspecified**

P53 Hemorrhagic disease of newborn

Includes: vitamin K deficiency of newborn

P54 Other neonatal hemorrhages

Excludes1: fetal blood loss (P50.-)

pulmonary hemorrhage originating in the perinatal period (P26.-)

P54.0 Neonatal hematemesis

Excludes1: neonatal hematemesis due to swallowed maternal blood (P78.2)

P54.1 Neonatal melena

Excludes1: neonatal melena due to swallowed maternal blood (P78.2)

P54.2 Neonatal rectal hemorrhage

P54.3 Other neonatal gastrointestinal hemorrhage

P54.4 Neonatal adrenal hemorrhage

P54.5 Neonatal cutaneous hemorrhage

Neonatal bruising

Neonatal ecchymoses

Neonatal petechiae

Neonatal superficial hematomata

Excludes2: bruising of scalp due to birth injury (P12.3)

cephalhematoma due to birth injury (P12.0)

P54.6 Neonatal vaginal hemorrhage

Neonatal pseudomenses

P54.8 Other specified neonatal hemorrhages

P54.9 Neonatal hemorrhage, unspecified

P55 Hemolytic disease of newborn

P55.0 Rh isoimmunization of newborn

P55.1 ABO isoimmunization of newborn

P55.8 Other hemolytic diseases of newborn

P55.9 Hemolytic disease of newborn, unspecified

P56 Hydrops fetalis due to hemolytic disease

Excludes1: hydrops fetalis NOS (P83.2)

P56.0 Hydrops fetalis due to isoimmunization

P56.9 Hydrops fetalis due to other and unspecified hemolytic disease

P57 Kernicterus

P57.0 Kernicterus due to isoimmunization

P57.8 Other specified kernicterus

Excludes1: Crigler-Najjar syndrome (E80.5)

P57.9 Kernicterus, unspecified

P58 Neonatal jaundice due to other excessive hemolysis

Excludes1: jaundice due to isoimmunization (P55-P57)

P58.0 Neonatal jaundice due to bruising

P58.1 Neonatal jaundice due to bleeding

P58.2 Neonatal jaundice due to infection

P58.3 Neonatal jaundice due to polycythemia

P58.4 Neonatal jaundice due to drugs or toxins transmitted from mother or given to newborn

Use additional external cause code (Chapter XX) to identify drug, if drug-induced

P58.41 Neonatal jaundice due to drugs or toxins transmitted from mother

P58.42 Neonatal jaundice due to drugs or toxins given to newborn

P58.5 Neonatal jaundice due to swallowed maternal blood

P58.8 Neonatal jaundice due to other specified excessive hemolysis

P58.9 Neonatal jaundice due to excessive hemolysis, unspecified

P59 Neonatal jaundice from other and unspecified causes

Excludes1: jaundice due to inborn errors of metabolism (E70-E90)
kernicterus (P57.-)

P59.0 Neonatal jaundice associated with preterm delivery

Hyperbilirubinemia of prematurity

Jaundice due to delayed conjugation associated with preterm delivery

P59.1 Inspissated bile syndrome

P59.2 Neonatal jaundice from other and unspecified hepatocellular damage

Excludes1: congenital viral hepatitis (P35.3)

P59.20 Neonatal jaundice from unspecified hepatocellular damage

P59.29 Neonatal jaundice from other hepatocellular damage

P59.3 Neonatal jaundice from breast milk inhibitor

P59.8 Neonatal jaundice from other specified causes

P59.9 Neonatal jaundice, unspecified

Neonatal physiological jaundice (intense)(prolonged) NOS

P60 Disseminated intravascular coagulation of newborn

Includes: defibrination syndrome of newborn

P61 Other perinatal hematological disorders

Excludes1: transient hypogammaglobulinemia of infancy (D80.7)

P61.0 Transient neonatal thrombocytopenia

Neonatal thrombocytopenia due to exchange transfusion

Neonatal thrombocytopenia due to idiopathic maternal thrombocytopenia

Neonatal thrombocytopenia due to isoimmunization

P61.1 Polycythemia neonatorum

- P61.2 Anemia of prematurity**
- P61.3 Congenital anemia from fetal blood loss**
- P61.4 Other congenital anemias, not elsewhere classified**
Congenital anemia NOS
- P61.5 Transient neonatal neutropenia**
- P61.6 Other transient neonatal disorders of coagulation**
- P61.8 Other specified perinatal hematological disorders**
- P61.9 Perinatal hematological disorder, unspecified**

Transitory endocrine and metabolic disorders specific to newborn (P70-P74)

Includes: transitory endocrine and metabolic disturbances caused by the infant's response to maternal endocrine and metabolic factors, or its adjustment to extrauterine environment

P70 Transitory disorders of carbohydrate metabolism specific to newborn

- P70.0 Syndrome of infant of mother with gestational diabetes**
- P70.1 Syndrome of infant of a diabetic mother**
Maternal diabetes mellitus (pre-existing) (type 1 or type 2) affecting newborn (with hypoglycemia)
- P70.2 Neonatal diabetes mellitus**
- P70.3 Iatrogenic neonatal hypoglycemia**
- P70.4 Other neonatal hypoglycemia**
Transitory neonatal hypoglycemia
- P70.8 Other transitory disorders of carbohydrate metabolism of newborn**
- P70.9 Transitory disorder of carbohydrate metabolism of newborn, unspecified**

P71 Transitory neonatal disorders of calcium and magnesium metabolism

- P71.0 Cow's milk hypocalcemia in newborn**
- P71.1 Other neonatal hypocalcemia**
Excludes1: neonatal hypoparathyroidism (P71.4)
- P71.2 Neonatal hypomagnesemia**
- P71.3 Neonatal tetany without calcium or magnesium deficiency**
Neonatal tetany NOS
- P71.4 Transitory neonatal hypoparathyroidism**
- P71.8 Other transitory neonatal disorders of calcium and magnesium metabolism**
- P71.9 Transitory neonatal disorder of calcium and magnesium metabolism, unspecified**

P72 Other transitory neonatal endocrine disorders

Excludes1: congenital hypothyroidism with or without goiter (E03.0-E03.1)
dysormogenetic goiter (E07.1)
Pendred's syndrome (E07.1)

P72.0 Neonatal goiter, not elsewhere classified

Transitory congenital goiter with normal functioning

P72.1 Transitory neonatal hyperthyroidism

Neonatal thyrotoxicosis

P72.2 Other transitory neonatal disorders of thyroid function, not elsewhere classified

Transitory neonatal hypothyroidism

P72.8 Other specified transitory neonatal endocrine disorders

P72.9 Transitory neonatal endocrine disorder, unspecified

P74 Other transitory neonatal electrolyte and metabolic disturbances

P74.0 Late metabolic acidosis of newborn

P74.1 Dehydration of newborn

P74.2 Disturbances of sodium balance of newborn

P74.3 Disturbances of potassium balance of newborn

P74.4 Other transitory electrolyte disturbances of newborn

P74.5 Transitory tyrosinemia of newborn

P74.6 Transitory hyperammonemia of newborn

P74.8 Other transitory metabolic disturbances of newborn

P74.9 Transitory metabolic disturbance of newborn, unspecified

**Digestive system disorders of newborn
(P75-P78)**

P75 Meconium ileus

Excludes1: meconium ileus in cystic fibrosis (E84.1)

P76 Other intestinal obstruction of newborn

Excludes1: intestinal obstruction classifiable to K56.-
meconium ileus in cystic fibrosis (E84.1)
meconium ileus NOS (P75)

P76.0 Meconium plug syndrome

P76.1 Transitory ileus of newborn

Excludes1: Hirschsprung's disease (Q43.1)

P76.2 Intestinal obstruction due to inspissated milk

P76.8 Other specified intestinal obstruction of newborn

P76.9 Intestinal obstruction of newborn, unspecified

P77 Necrotizing enterocolitis of newborn

P78 Other perinatal digestive system disorders

Excludes1: cystic fibrosis (E84.0-E84.9)

neonatal gastrointestinal hemorrhages (P54.0-P54.3)

P78.0 Perinatal intestinal perforation

Meconium peritonitis

P78.1 Other neonatal peritonitis

Neonatal peritonitis NOS

P78.2 Neonatal hematemesis and melena due to swallowed maternal blood

P78.3 Noninfective neonatal diarrhea

Neonatal diarrhea NOS

P78.8 Other specified perinatal digestive system disorders

P78.81 Congenital cirrhosis (of liver)

P78.82 Peptic ulcer of newborn

P78.89 Other specified perinatal digestive system disorders

P78.9 Perinatal digestive system disorder, unspecified

Conditions involving the integument and temperature regulation of newborn (P80-P83)

P80 Hypothermia of newborn

P80.0 Cold injury syndrome

Severe and usually chronic hypothermia associated with a pink flushed appearance, edema and neurological and biochemical abnormalities.

Excludes1: mild hypothermia of newborn (P80.8)

P80.8 Other hypothermia of newborn

Mild hypothermia of newborn

P80.9 Hypothermia of newborn, unspecified

P81 Other disturbances of temperature regulation of newborn

P81.0 Environmental hyperthermia of newborn

P81.8 Other specified disturbances of temperature regulation of newborn

P81.9 Disturbance of temperature regulation of newborn, unspecified

Fever of newborn NOS

P83 Other conditions of integument specific to newborn

Excludes1: congenital malformations of skin and integument (Q80-Q84)

hydrops fetalis due to hemolytic disease (P56.-)

neonatal skin infection (P39.4)

staphylococcal scalded skin syndrome (L00)

Excludes2: cradle cap (L21.0)
diaper [napkin] dermatitis (L22)

P83.0 Sclerema neonatorum

P83.1 Neonatal erythema toxicum

P83.2 Hydrops fetalis not due to hemolytic disease

Hydrops fetalis NOS

P83.3 Other and unspecified edema specific to newborn

P83.30 Unspecified edema specific to newborn

P83.39 Other edema specific to newborn

P83.4 Breast engorgement of newborn

Noninfective mastitis of newborn

P83.5 Congenital hydrocele

P83.6 Umbilical polyp of newborn

P83.8 Other specified conditions integument specific to newborn

Bronze baby syndrome

Neonatal scleroderma

Urticaria neonatorum

P83.9 Condition of the integument specific to newborn, unspecified

Other problems with newborn (P84)

P84 Other problems with newborn

Acidosis of newborn

Anoxia of newborn NOS

Asphyxia of newborn NOS

Hypercapnia of newborn

Hypoxia of newborn NOS

Excludes1: intracranial hemorrhage due to anoxia or hypoxia (P52.-)
late metabolic acidosis of newborn (P74.0)

Other disorders originating in the perinatal period (P90-P96)

P90 Convulsions of newborn

Excludes1: benign myoclonic epilepsy in infancy (G40.3-)
benign neonatal convulsions (familial) (G40.3-)

P91 Other disturbances of cerebral status of newborn

P91.0 Neonatal cerebral ischemia

P91.1 Acquired periventricular cysts of newborn

P91.2 Neonatal cerebral leukomalacia

P91.3 Neonatal cerebral irritability

- P91.4 Neonatal cerebral depression**
- P91.5 Neonatal coma**
- P91.8 Other specified disturbances of cerebral status of newborn**
- P91.9 Disturbance of cerebral status of newborn, unspecified**

P92 Feeding problems of newborn

- P92.0 Vomiting of newborn**
- P92.1 Regurgitation and rumination of newborn**
- P92.2 Slow feeding of newborn**
- P92.3 Underfeeding of newborn**
- P92.4 Overfeeding of newborn**
- P92.5 Neonatal difficulty in feeding at breast**
- P92.8 Other feeding problems of newborn**
- P92.9 Feeding problem of newborn, unspecified**

P93 Reactions and intoxications due to drugs administered to newborn

Excludes1: jaundice due to drugs or toxins transmitted from mother or given to newborn (P58.4-)
reactions and intoxications from maternal opiates, tranquilizers and other medication (P04.0-P04.1, P04.4)
withdrawal symptoms from maternal use of drugs of addiction (P96.1)
withdrawal symptoms from therapeutic use of drugs in newborn (P96.2)

- P93.0 Gray baby syndrome**
Gray syndrome from chloramphenicol administration in newborn
- P93.8 Other reactions and intoxications due to drugs administered to newborn**
Use additional external cause code (Chapter XX) to identify drug

P94 Disorders of muscle tone of newborn

- P94.0 Transient neonatal myasthenia gravis**
Excludes1: myasthenia gravis (G70.0)
- P94.1 Congenital hypertonia**
- P94.2 Congenital hypotonia**
Floppy baby syndrome, unspecified
- P94.8 Other disorders of muscle tone of newborn**
- P94.9 Disorder of muscle tone of newborn, unspecified**

P95 Stillbirth

Includes: deadborn fetus NOS
fetal death of unspecified cause
stillbirth NOS

P96 Other conditions originating in the perinatal period

P96.0 Congenital renal failure

Uremia of newborn

P96.1 Neonatal withdrawal symptoms from maternal use of drugs of addiction

Drug withdrawal syndrome in infant of dependent mother

Excludes1: reactions and intoxications from maternal opiates and
tranquilizers administered during labor and delivery (P04.0)

P96.2 Withdrawal symptoms from therapeutic use of drugs in newborn

P96.3 Wide cranial sutures of newborn

Neonatal craniotables

P96.5 Complications of intrauterine procedures, not elsewhere classified

P96.6 Exposure to (parental) (environmental) tobacco smoke in the perinatal period

Excludes2: newborn affected by in utero exposure to tobacco (P04.2)
exposure to environmental tobacco smoke after the perinatal
period (X58.1)

P96.8 Other specified conditions originating in the perinatal period

P96.9 Condition originating in the perinatal period, unspecified

Congenital debility NOS